



product_datasheet_title

ENDURA Classic Calice 50cm Post E27

ENDURA CLASSIC CALICE | Stainless steel luminaires with glass diffuser



technical_data

ELECTRICAL DATA


Nominal voltage	220...240 V
Mains frequency	50...60 Hz
Power factor λ	> 0.50
Protection class	I
Operating mode	Mains voltage

PHOTOMETRICAL DATA

Standard deviation of color matching	< 6 sdc _m
--------------------------------------	----------------------

DIMENSIONS & WEIGHT

Diameter	120.00 mm
Height	500.00 mm
Product weight	980.00 g



ENDURA CLASSIC CALICE 50CM
E27 SI

MATERIALS & COLORS

Product color	Steel
Housing color	Steel
Body material	Stainless steel

Cover material	Glass
Mercury content	0.0 mg

APPLICATION & MOUNTING

Ambient temperature range	-20...+40 °C
Type of connection	Terminal, 3-Pole (L, N, PE)
Type of protection	IP44
Dimmable	no
Mounting type	Surface
Mounting location	Ground
Application environment	Outdoor
With light source	No





CERTIFICATES & STANDARDS

Standards	CE / EAC / UKCA
Luminaire with limited surface temperature, "D sign"	No

ADDITIONAL PRODUCT DATA

Product remark	Maximum bulb wattage: 60 W
----------------	----------------------------

download_data

Documents and certificates		document_name
	User instruction	ENDURA CLASSIC CALICE
	Packaging insert	Legal insert I-Outdoor
	Declarations Of Conformity CE	ENDURA CLASSIC CALICE
	Declarations Of Conformity UKCA	Fixed LUM without EMC

logistical_data

product_code	packaging_unit	dimensions	weight	volume
4058075477995	Folding box 1	162 mm x 162 mm x 554 mm	1176.00 g	14.54 dm ³

product_code	packaging_unit	dimensions	weight	volume
4058075478008	Shipping box 2	577 mm x 347 mm x 190 mm	2954.00 g	38.04 dm ³

logistical_data_text

disclaimer_title

disclaimer_text